

DECLARATION OF PERFORMANCE

KCS 1.03.1

Unique identification code of the product-type:

KT 1.03 (See table 1)

Intended use/es:

Suspended ceiling membrane component for internal use

Manufacturer:

Knauf Ceiling Solutions GmbH & Co. KG, Elsenthal 15, 94481 Grafenau, Germany

Harmonised standard:

EN 13964:2014

Approved Body

1121

Declared performance

Essential characteristics		Performance	*
Reaction to fire		A2-s1,d0	1
Release of formaldehyde		E1	3
Sound absorption	α_w	See table 1	4
Thermal conductivity	λ_D (W/mK)	0,060	4
Durability		A	4

* = System/s of AVCP

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:



Andreas Schiedeck

Director Research and Development

Knauf Ceiling Solutions GmbH & Co. KG

Grafenau, 26.05.2023

v.3: 2023-05-26

Table 1

Product Name	Sound absorption
	α_w
AMF Ecomin Filigran	0,55
AMF Ecomin Orbit	0.20(L)
AMF Ecomin Orbit Micro.	0,50
AMF Ecomin Planet	0,55
AMF Ecomin Trento	0,55



DECLARATION OF PERFORMANCE

KCS 1.03.1

Unique identification code of the product-type:

KT 1.03 (See table 1)

Intended use/es:

Suspended ceiling membrane component for internal use

Manufacturer:

Knauf Ceiling Solutions GmbH & Co. KG, Elsenthal 15, 94481 Grafenau, Germany

Harmonised standard:

EN 13964:2014

Notified Body/ies:

0797

Declared performance

Essential characteristics		Performance	*
Reaction to fire		A2-s1,d0	1
Release of formaldehyde		E1	3
Sound absorption	α_w	See table 1	4
Thermal conductivity	λ_D (W/mK)	0,060	4
Durability		See table 1	4

* = System/s of AVCP

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Andreas Schiedeck

Director Research and Development
Knauf Ceiling Solutions GmbH & Co. KG

Grafenau, 26.05.2023

v.3: 2023-05-26

**Table 1**

Product Name	Sound absorption	Durability
	α_w	
Armstrong Bajkal 90RH*	0,45	B
Armstrong Retail*	0.15(L)	B
Armstrong Savanna*	0.15(L)	B
Armstrong Scala*	0,50	A
Armstrong Scalacoustic*	0,55	B
AMF Ecomin Filigran	0,55	A
AMF Ecomin Orbit	0.20(L)	A
AMF Ecomin Orbit 14	0.20(L)	A
AMF Ecomin Orbit Micro.	0,50	A
AMF Ecomin Orbit Micro. 14	0,50	A
AMF Ecomin Planet	0,55	A
AMF Ecomin Trento	0,55	A

*Knauf Ceiling Solutions can't place this product on the market in Austria, Estonia, Germany, Ireland, Italy, Latvia, Lithuania, Spain, Portugal, Turkey and the United Kingdom.